
COVETOR' CHIEDI



F16. 2

TURN ON CW LAJER 115

AT TOM TIME SLOT FOR DOWNSTREAM STATION #1,
TUNE TUNABLE FLITER 150 FOR DOWNSTREAM STATION #1
SO AS TO LREATE A MODULATED REFLECTION OF CW LAJER 115,
AND TUNE TUNABLE FLITERS 150 FOR ALL OTHER DOWNSTREAM
STATIONS SO AS TO NOT REFLECT CW CASER 115

AT TOM TIME SLOT FOR POWNINGEAM STATION #2,

THE TUNABLE FILTER ISO FOR DOWNINGEAM SMITTON #2

SO AT TO CREATE A MODULATED REFLECTION OF CW LAIGH IIS,

AND THINE TUNABLE FILTER ISO FOR ALL OTHER DOWNINGEAM

STATION SO AS TO NOT REFLECT CW LAIGH IIS

AT TOM TIME SLOT FOR DOWNSTREAM STATION #3,
THINE THNABLE FILTER ISD FOR DOWNSTREAM STATION #3
TO AS TO CREATE A MODULATED REFLECTION OF CW LASER IS,
AND THNE THNABLE FICTERS ISD FOR ALL OTHER DOWNSTREAM
STATIONS SO AS TO NOT REFLECT CW LASER IS

ETc.

FIG. 3
UPSTREAM TRANSMISSION IN TOM MODE